

Marais 36
 2400, Le Locle
 Switzerland
 mpi@bluewin.ch

Phone: +41- (0)-32-9314045
 email: mpi@mpi-ultrasonics.com
 http://www.mpi-ultrasonics.com
 http://mastersonic.com

Wells-&-Channels-Cleaning

Bio-film, algae, barnacles, micro-flora repelling and removal

Pipelines protection against biofouling

Cleaning and decontaminations in Nuclear Power Industry

Sonochemistry applications

Petrochemical, biodiesel and crude oil processing



Electro-plating optimization

Wideband, multi-frequency liquids processing transducers

Replacements for tubular and Push-Pull transducers


High density and uniform Omni-directional ultrasonic activity

Fully encapsulated in Teflon envelope available

 <p>Wells Cleaning</p>	
<p>Movie file: click and activate</p>	<p>SLS, multi-frequency transducer for wells cleaning</p>

Submersible-Long Square MMM Transducers





28 kHz

Dimensions Specification

Power	700W	600W	500W	400W	300W	200W
Transducer	14PCS	12PCS	10PCS	8PCS	6PCS	4PCS
Length (L)	1000mm	880mm	760mm	640mm	520mm	400mm
Width (W)	70mm	70mm	70mm	70mm	70mm	70mm
Height (H)	100mm	100mm	100mm	100mm	10mm	100mm

30 – 45 kHz

Dimension Specification

Power	700W	600W	500W	400W	300W	200W
Transducer	14 PCS	12PCS	10PCS	8PCS	6PCS	4PCS
Length (L)	1000mm	880mm	760mm	640mm	520mm	400mm
Width (W)	70mm	70mm	70mm	70mm	70mm	70mm
Height (H)	70mm	70mm	70mm	70mm	70mm	70mm